- Ovid: Search Results

Page 1 of 3



BIOSIS Previews <1998 to 2005 Week 24> (15 records) • Ovid MEDLINE

(R) <1996 to May Week 3 2005> (10 records) • Ovid MEDLINE(R) In-Process & Other NonIndexed Citations <May 31, 2005> (1 records) • Pharmaprojects <May 20, 2005> (1 records) •

R & D Insight <1994 to May 31, 2005> (0 records)

Results of your search: (il-18 and renal failure).mp. [mp=ti, dn, bt, bo, ab, cc, bc, cb, ds, mc, mq, or, ps, sq, st, tn, tm, ge, gn, mi, ot, nm, hw, it, dw, sh, de, dx, pk, se, li, oc, sy]

Result displayed: 17 of 27

Go to Result: 17

Results Manager • Help • Logoff

☐ Citation 17.

Database

Ovid MEDLINE(R)

Unique Identifier

14981598

Record Owner

NLM

Authors

Parikh CR. Jani A. Melnikov VY. Faubel S. Edelstein CL.

Authors Full Name

Parikh, Chirag R. Jani, Alkesh. Melnikov, Vyacheslav Y. Faubel, Sarah. Edelstein, Charles L.

Institution

Department of Medicine, University of Colorado School of Medicine, Denver, CO 80262, USA.

Title

Urinary interleukin-18 is a marker of human acute tubular necrosis.

Source

American Journal of Kidney Diseases. 43(3):405-14, 2004 Mar.

Abbreviated Source

Am J Kidney Dis. 43(3):405-14, 2004 Mar.

Publishing Model

Print

NLM Journal Code

8110075

Journal Subset

IM

Country of Publication

United States

MeSH Subject Headings

<u>Adult</u>

Aged

Biological Markers / ur [Urine]

Enzyme-Linked Immunosorbent Assay

<u>Female</u>

Humans

*Interleukin-18 / ur [Urine]

Kidney Diseases / ur [Urine]

*Kidney Tubular Necrosis, Acute / ur [Urine]

Page 2 of 3

· Ovid: Search Results

Male Middle Aged

Abstract

BACKGROUND: Interleukin-18 (IL-18) is a mediator of ischemic acute tubular necrosis (ATN) in mice. METHODS: IL-18 was measured in human urine to determine whether it might serve as a marker of ATN. Seventy-two patients, including healthy controls, patients with different forms of acute renal failure, and patients with other renal diseases, were studied. RESULTS: Patients with ATN had significantly greater median urinary IL-18 concentrations than those with all other conditions: patients with ATN, 644 pg/mg creatinine (mean, 814 +/- 151 [SE] pg/mg creatinine; P <0.0001) versus healthy controls, 16 pg/mg creatinine (mean, 23 +/- 9 pg/mg creatinine); patients with prerenal azotemia, 63 pg/mg creatinine (mean, 155 +/- 68 pg/mg creatinine); patients with urinary tract infection, 63 pg/mg creatinine (mean, 149 +/- 110 pg/mg creatinine); those with chronic renal insufficiency, 12 pg/mg creatinine (mean, 84 +/- 45 pg/mg creatinine); and patients with nephrotic syndrome, 34 pg/mg creatinine (mean, 67 +/- 47 pg/mg creatinine). Median urinary IL-18 concentrations measured in the first 24 hours after kidney transplantation were 924 pg/mg creatinine (mean, 1,199 +/- 187 pg/mg creatinine) in patients who received a cadaveric kidney that developed delayed graft function compared with 171 pg/mg creatinine (mean, 367 +/- 102 pg/mg creatinine) in patients who received a cadaveric kidney with prompt graft function and 73 pg/mg creatinine (mean, 176 +/- 107 pg/mg creatinine) in patients who received a kidney with prompt graft function from a living donor (P < 0.002). In kidney transplant recipients, lower urinary IL-18 levels were associated with a steeper decline in serum creatinine concentrations postoperative days 0 to 4 (P = 0.009). CONCLUSION: IL-18 levels are elevated in urine in patients with ATN and delayed graft function compared with other renal diseases. Urinary IL-18 may serve as a marker for proximal tubular injury in ATN. The clinical application of this test may be substantial because it is reliable, inexpensive, and easy to perform.

CAS Registry/EC Number/Name of Substance

0 (Biological Markers). 0 (Interleukin-18).

ISSN

1523-6838

Publication Type

Journal Article.

Grant Number

1R01-DK56851 (NIDDK), K23-DK064689-01 (NIDDK)

Language

English

Entry Date

20040513

Revision Date

20041117

Year of Publication

2004

Update Date

20041220

Thesales and the second second

Results Manager: Display, Print, Save, or Email Results #

Results	Fields	Result Format	Action
		!	1

- Ovid; Search Results

Page 3 of 3

	Sort Keys Ascending	☐ Include Search History	
© Selected Results O All on this page O All in this set (1-27) and/or Range:	All on this page All in this set (1-27) Citation + Abstract + Subject Headings Complete Reference	 Ovid O BRS/Tagged O Reprint/Medlars O Brief (Titles) Display O Direct Export O BizInt SmartCharts 	

Copyright (c) 2000-2005 Ovid Technologies, Inc. Version: rel9.3.0, SourceID 1.10284.1.251